

## 放射性同位元素教育研究支援部を利用した業績

【2004年度】

Asymmetric hydrogenation of *N*-substituted maleimides by cultured plant cells.

T. Hirata, A. Takarada, A. Matsushima, Y. Kondo, and H. Hamada

Tetrahedron Asym., 15: 15-16 (2004).

Composition and antifungal activity of essential oils isolated from *Hypericum hyssopifolium* and *Hypericum heterophyllum*.

A. Cakir, S. Kordali, H. Zengin, S. Izumi, and T. Hirata

Flavour Fragr. J., 19: 62-68 (2004).

Formation of unidentified nitrogen in plants: an implication for a novel nitrogen metabolism.

H. Morikawa, M. Takahashi, A. Sakamoto, T. Matsubara, G.-I. Arimura, Y. Kawamura, K. Fukunaga, K. Fujita,

N. Sakurai, T. Hirata, H. Ide, N. Nonoyama, and H. Suzuki

Planta, 219: 14-22 (2004).

Asymmetric transformation of enol acetates with esterases from *Marchantia polymorpha*.

K. Shimoda, N. Kubota, T. Hirata, and T. Kawano

J. Mol. Cat. B: Enz., 29, 123-127 (2004).

Asymmetric reduction of enones with *Synechococcus* sp. PCC 7942.

K. Shimoda, N. Kubota, H. Hamada, M. Kaji and T. Hirata

Tetrahedron: Asym., 15: 1677-1779 (2004).

A novel hydroxylase from *Catharanthus roseuse* participating in the hydroxylation of 2-hydroxybenzoic acid.

K. Shimoda, N. Kubota, T. Sano, H. Hirakawa, and T. Hirata

J. Biosci. Bioenz., 98, 67-70 (2004).

Asymmetric transformation of enones with *Synechococcus* sp. PCC 7942.

K. Shimoda, N. Kubota, H. Hamada, S. Yamane, and T. Hirata

Bull. Chem. Soc. Jpn, 77: 2269-2272 (2004).

<sup>57</sup>Fe Mössbauer Spectroscopic Study on the Assembled Iron Complexes.

S. Nakashima, Y. Asada, and T. Okuda

Hyperfine Interactions, 156/157: 353-358 (2004).

New Assembled Fe-*trans*-1,2-Bis(4-pyridyl)ethylene-NCS(NCSe) Complexes –Hydrogen Bonded and Interacted Structure and Grid Structure Enclathrating Ligand-

S. Nakashima, A. Yamamoto, Y. Asada, N. Koga, and T. Okuda

Inorg. Chim. Acta, 358: 257-264 (2005).

Deep underground measurements of <sup>60</sup>Co in steel exposed to the Hiroshima atomic bomb explosion.

M. Hult, J. Gasparro, R. Vasselli, K. Shizuma, M. Hoshi, D. Arnold, and S. Neumaier

Applied Radiation and Isotopes 61: 173-177 (2004).

Measuring fast neutrons in Hiroshima at distances relevant to atomic-bomb survivors.

T. Straume, G. Rugel, A.A. Marchetti, W. Ruehm, G. Korschinek, J. E. McAninch, K. Karroll, S. Egbert, T.

Faestermann, K. Knide, R. Martinelli, A. Wallner, C. Wallner, S. Fujita, K. Shizuma, M. Hoshi, and H. Hasai

Nature, Vol.430, 22 July: p.483 (2004)

低バックグラウンドGe検出器の遮蔽性能の改善.

静間 清, 横畑憲二, 稲田晋宣

広島大学大学院工学研究科研究報告, 53号:187-93 (2004).

The effect of Na, Mg, and Ca ions on the formation of Eu(III)-humate complex.

Y. Takahashi, and Y. Minai

J. Nucl. Radiochem. Res., 5: 37-44 (2004).

REE Distribution Pattern between Water and Montmorillonite and Its Relation to the Sorbed Species of REE.

Y. Takahashi, A. Tada, and H. Shimizu

Anal. Sci., 20: 1301-1306 (2004).

7 $\alpha$ -Hydroxypregnenolone acts as a neuronal activator to stimulate locomotor activity of breeding newts by means of the dopaminergic system.

M. Matsunaga, K. Ukena, and K. Tsutsui  
Proc. Natl. Acad. Sci. USA, 101: 17282-17287 (2004).

Does gonadotrophin inhibiting hormone (GnIH) play a functional role in avian reproduction?

N. A. Ciccone, K. Tsutsui, P. J. Sharp, and I. C. Dunn  
Br. Poult. Sci., 45: 28-9 (2004).

Gonadotropin-inhibitory hormone in Gambel's white-crowned sparrow: cDNA identification, transcript localization and functional effects in laboratory and field experiments.

T. Osugi, K. Ukena, G. E. Bentley, S. O'Brien, I. T. Moore, J. C. Wingfield, and K. Tsutsui  
J. Endocrinology, 182: 33-42 (2004).

Expression and localization of 25-Dx, a membrane-associated putative progesterone-binding protein, in the developing Purkinje cell.

H. Sakamoto, K. Ukena, H. Takemori, M. Okamoto, M. Kawata, and K. Tsutsui  
Neuroscience, 126: 325-334 (2004).

Dendritic growthin response to environmental estrogens in the developing Purkinje cell.

H. Shikimi, H. Sakamoto, Y. Mezaki, K. Ukena, and K. Tsutsui  
Neurosci. Lett., 364: 114-118 (2004).

Expression and distribution of octopus GnRH in the central nervous system and peripheral organs of the octopus (*Octopus vulgaris*) by *in situ* hybridization and immunohistochemistry.

E. Iwakoshi-Ukena, K. Ukena, K. Takuwa-Kuroda, A. Kanda, K. Tsutsui, and H. Manakata  
J. Comp. Neurol., 477: 310-323 (2004).

Photoperiodic response of serotonin- and galanin-immunoreactive neurons of the paraventricular organ and infundibular nucleus in Japanese quail, *Coturnix coturnix japonica*.

Y. Haida, T. Ubuka, K. Ukena, K. Tsutsui, T. Oishi, and S. Tamotsu  
Zool. Sci., 21: 575-582 (2004).

Identification of 3 $\alpha$ ,5 $\alpha$ -tetrahydroprogesterone, a progesterone metabolite, and its stimulatory action on preoptic neurons in the avian brain.

M. Matsunaga, K. Okuhara, K. Ukena, and K. Tsutsui  
Brain Res., 1007: 160-166 (2004).

Organizing actions of neurosteroids in the Purkinje neuron.

K. Tsutsui, H. Sakamoto, H. Shikimi, and K. Ukena  
Neurosci. Res. 49: 273-279 (2004).

Gonadotrophin inhibitory hormone depresses gonadotrophin  $\alpha$  and follicle-stimulating hormone  $\beta$  Subunit expression in the pituitary of the domestic chicken.

N.A. Ciccone, I.C. Dunn, T. Boswell, K. Tsutsui, T. Ubuka, K. Ukena, and P.J. Sharp.  
J. Neuroendocrinol., 16: 999-1006 (2004).

Classical and novel neurosteroids in vertebrate brains.

K. Tsutsui, M. Matsunaga, H. Miyabara, K. Ukena  
In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp. 85-87 (2004).

A novel amphibian neurosteroid stimulating locomotor activity.

M. Matsunaga, K. Ukena, K. Tsutsui  
In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp. 254-256 (2004).

Novel avian neurosteroid: Identification of 7 $\alpha$ -hydroxypregnenolone in the quail brain.

H. Miyabara, M. Matsunaga, K. Ukena, and K. Tsutsui

In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp. 328-330 (2004).

Synapse formation in response to estrogen synthesized *de novo* in the developing Purkinje cell.

H. Shikimi, H. Sakamoto, K. Ukena, and K. Tsutsui

In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp. 319-321 (2004).

Comparative aspects of novel hypothalamic LPXRF-amide peptides in the vertebrate brain: Structure, localization and function.

K. Ukena, K. Sawada, A. Kod, K. Yamamoto, S. Kikuyama, H. Satake, E. Iwakoshi-Ukena, H. Minakata, and K. Tsutsui

In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp.325-327 (2004).

Identification and localization of a novel lamprey hypothalamic neuropeptide of the RF-amide peptide family.

T. Osugi, K. Ukena, M. Nozaki, H. Kawauchi, S. A. Sower, and K. Tsutsui

In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp. 322-324 (2004).

Effects of RF-amide peptides on the release of TSH from the bullfrog pituitary.

K. Yamamoto, A. Koda, K. Ukena, R. Okada, E. Iwakoshi-Ukena, H. Minakata, K. Tsutsui, and S. Kikuyama

In: Trends in Comparative Endocrinology, T. Oishi, K. Tsutsui, S. Tanaka, and S. Kikuyama (eds) AOSCE, pp. 298-300 (2004).

Melatonin induces the expression of gonadotropin-inhibitory hormone in the avian brain.

T. Ubuka, G. E. Bentley, K. Ukena, J. C. Wingfield, and K. Tsutsui

Proc. Natl. Acad. Sci. USA (2005) (in press).

Gonadotrophin inhibitory hormone depresses gonadotrophin  $\alpha$  and follicle-stimulating hormone  $\beta$  subunit expression in the pituitary of the domestic chicken.

N. A. Ciccone, I.C. Dunn, T. Boswell, K. Tsutsui, T. Ubuka, K. Ukena, and P. J. Sharp

J. Neuroendocrinology (2005) (in press).

A novel G protein-coupled receptor for gonadotropin-inhibitory hormone in the Japanese quail (*Coturnix japonica*): identification, expression and binding activity.

H. Yin, K. Ukena, T. Ubuka, and K. Tsutsui

J. Endocrinology, 184: 257-266 (2005).

Hypothalamic LPXRF-amide peptides in vertebrates: Identification, localization and hypophysiotropic activity.

K. Tsutsui, and K. Ukena

Peptides (2005) (in press).

Review: A new member of the hypothalamic RF-amide peptide family, LPXRF-amide peptides: Structure, localization and function.

K. Ukena, and K. Tsutsui

Mass Spectrometry Reviews (2005) (in press).

Structure, action and functional significance of GnIH.

K. Tsutsui, G. Bentley, and N. Ciccone

In: Functional Avian Endocrinology, A. Dawson, and P. J. Sharp (eds) Narosa Publishing House, New Delhi (2005) (in press).

Differential expression of the nitrite reductase gene family in tobacco as revealed by quantitative competitive RT-PCR.

C. Kato, M. Takahashi, A. Sakamoto, and H. Morikawa

J. Exp. Bot., 55(403): 1761-1763 (2004).

Three distinct *Arabidopsis* hemoglobins exhibit peroxidase-like activity and differentially mediate nitrite-dependent protein nitration.

A. Sakamoto, S. Sakurao, K. Fukunaga, T. Matsubara, M. Ueda-Hashimoto, S. Tsukamoto, M. Takahashi, and H. Morikawa  
*FEBS Lett.*, 572: 27-32 (2004).

Attempted reduction of 1,2,3-thiadiazole-4-carboxylates with samarium/iodine in methanol. Unexpected ring enlargement to 1,2,5-trithiepan-4,6-dicarboxylates.

K. Miyawaki, H. Suzuki, and H. Morikawa  
*Org. Biomol. Chem.*, 2: 2870-2873 (2004).

Higher plants and metabolism of oxides of nitrogen.

H. Morikawa, M. Takahashi, M. Hakata, T. Matsubara, and A. Sakamoto

In *Nitrogen and sustainable plant productivity*. Eds. R.P. Singh, N.Shankar, and P.K. Jaiwal. Studium Press, Hoston (in press).

Morphological variants obtained by ion beam irradiation in *Ficus stipulata* Thumb.

M. Takahashi, S. Kohama, K. Kondo, M. Hakata, Y. Hase, N. Shikazono, A. Tanaka, and H. Morikawa  
*Plant Biotechnol.*(in press).

Novel metabolism of nitrogen dioxide and nitrate in plants- formation of previously unknown nitrogenous compounds and their metabolism.

H. Morikawa, M. Takahashi, A. Sakamoto, M. Ueda-Hashimoto, T. Matsubara, K. Miyawaki, Y. Kawamura, T. Hirata, and H. Suzuki

*Zeitschrift für Naturforschung C* (in press).

Nocturnal uptake and assimilation of nitrogen dioxide by C3 and CAM plants.

M. Takahashi, D. Konaka, A. Sakamoto, and H. Morikawa  
*Zeitschrift für Naturforschung C* (in press).

Tolerance to, and uptake and degradation of 2,4,6-trinitrotoluene (TNT) are enhanced by the expression of a bacterial nitroreductase gene in *Arabidopsis thaliana*.

M. Kurumata, M. Takahashi, A. Sakamoto, J. L. Ramos, A. Nepovim, T. Vanek, T. Hirata, and H. Morikawa.  
*Zeitschrift für Naturforschung C* (in press).

Uptake, assimilation and novel metabolism of nitrogen dioxide in plants.

M. Takahashi, T. Matsubara, A. Sakamoto, and H. Morikawa

In "Methods in Biotechnology: Phytoremediation Methods and Reviews" (ed.), N. Willey, Humana Press (in press).

ファイトレメディエーション .

森川弘道

「生物工学ハンドブック」 コロナ社 (印刷中) .

植物利用による大気および土壌汚染の修復 .

森川弘道、高橋美佐

「環境保全型農業の百科事典」(印刷中) .

Mechanism of inhibition of cytochrome P450 C21 activity by autoantibodies from patients with Addison's disease.

L. Nikfarjam, S. Kominami, T. Yamazaki, S. Chen, R. Hewer, C. Dal Pra, T. Nakamatsu, C. Betterle, R. Zanchetta, B. Ree Smith, and J. Furmaniak

*European Journal of Endocrinology* (2004) (in press).

Inhibitory effects of organotin compounds on rat neuronal nitric oxide synthase through interaction with calmodulin.

K. Ohashi, S. Kominami, T. Yamazaki, S. Ohta, and S. Kitamura

*Biochem. Biophys. Res. Commun.*, 324: 178-185 (2004).

Adult male rat hippocampus synthesizes estradiol from pregnenolone by cytochromes P45017 and P450 aromatase localized in neurons.

Y. Hojo, T.A. Hattori, T. Enami, A. Furukawa, K. Suzuki, H. Ishii, H. Mukai, J. H. Morrison, G. W. J. Janssen, S. Kominami, N. Harada, T. Kimoto, and S. Kawato

PNAS, 101: 865-870 (2004).

Cytochrome P450 2D catalyze steroid 21-hydroxylation in the brain.

W. Kishimoto, T. Hiroi, M. Shiraiishi, M. Osada, S. Imaoka, S. Kominami, T. Igarashi, and Y. Funae  
Endocrinology, 145: 699-705 (2004).

Determination of the chemical properties of residues retained in individual cloud droplets by XRF microprobe at SPring-8.

C.-J.Ma, S. Tohno, M. Kasahara, and S. Hayakawa  
Nucl. Instrum. Meth., B217: 657-665(2004).

Properties of individual Asian dust storm particles collected at Kosan, Korea during ACE-Asia.

C.-J.Ma, S. Tohno, M. Kasahara, and S. Hayakawa  
Atmospheric Environment, 38: 1133-1143(2004).

The nature of individual solid particles retained in size-resolved raindrops fallen in Asian dust storm event during ACE-Asia.

C.-J. Ma, S.Tohno, M.Kasahara, and S.Hayakawa  
Atmospheric Environment, 38: 2951-2964 (2004).

X-ray analysis of a single aerosol particle with combination of scanning electron microscope and synchrotron radiation x-ray microscope.

M. Toyoda, K. Kaibuchi, M. Nagasono, Y. Terada, T. Tanabe, S. Hayakawa, and J. Kawai  
Spectrochim. Acta, B59: 1311-1315 (2004).

Properties of the size-resolved and individual cloud droplets collected in western Japan during the Asian dust storm event.

C. -J. Ma, S. Tohno, M. Kasahara, and S. Hayakawa  
Atmospheric Environment, 38: 4519-4529 (2004).

アジア工業都市における黄砂降下物の元素分析並びに硫黄の化学状態分析.

田辺 晃生, 田中 洋一, 田中 大策, 谷口 祐司, 豊田 仁寿, 河合 潤, 石井 秀司, 劉 振林, 位不拉音伊里夏堤, 早川 慎二郎, 北島 義典, 寺田 靖子  
分析化学, 53:1411-1418 (2004).

Differential specificity of human and Escherichia coli endonuclease III and VIII homologues for oxidative base lesions.

A. Katafuchi, T. Nakano, A. Masaoka, H. Terato, S. Iwai, F. Hanaoka, and H. Ide  
J. Biol. Chem., 279: 14464-14471 (2004).

Detection of endonuclease III- and 8-oxoguanine glycosylase-sensitive base modifications in g-irradiated DNA and cells by the aldehyde reactive probe (ARP) assay.

M. M. Ali, S. Kurisu, Y. Yoshioka, H. Terato, Y. Ohyama, K. Kubo, and H. Ide  
J. Radiat. Res., 45: 229-237 (2004).

Mutational analysis of the damage-recognition and catalytic mechanism of human SMUG1 DNA glycosylase.

M. Matsubara, T. Tanaka, H. Terato, E. Ohmae, S. Izumi, K. Katayanagi, and H. Ide  
Nucleic Acids Res., 32: 5291-5302 (2004).

Analysis of DNA damage generated by high-energy particles.

H. Terato, R. Tanaka, Y. Nakaarai, Y. Furusawa, and H. Ide  
Nucleic Acids Symp. Ser., 48: 145-146 (2004).

Damage specificity of human DNA glycosylases for oxidative pyrimidine lesions.

A. Katafuchi, M. Matsubara, H. Terato, S. Iwai, F. Hanaoka, and H. Ide  
Nucleic Acids Symp. Ser., 48: 145-146 (2004).

Characterization of telomere DNA among five species of pteridophytes and bryophytes.

K. Suzuki  
J. Bryology, 26: 175-180 (2004).

An overview of the Agrobacterial genome.

K. Suzuki, M. Uraji, D De Costa, Y. Hattori, N. Ohta, K. Iwata, M. Satou, H. Sonoda, K. Miyahara, A. Masuda, Y. Nagata, H. Urbanczyk, J. Bautista-Zapanta, and K. Yoshida.  
Endocytobiosis Cell Res., 15: 143-150 (2004).

A new G-stretch-DNA-binding protein, Unichrom, displays cell-cycle-dependent expression in sea urchin embryos.

K. Moritani, H. Tagashira, T. Shimotori, N. Sakamoto, S. Tanaka, K. Takata, K. Mitsunaga-Nakatsubo, Y. Bojiwa, T. Yamamoto, H. Shimada, and K. Akasaka  
Dev Growth Differ, 46: 335-341(2004)

The Otx binding site is required for the activation of HpOtxL mRNA expression in the sea urchin, *Hemicentrotus pulcherrimus*.

Y. Hayashibara, K. Mitsunaga-Nakatsubo, N. Sakamoto, T. Shimotori, K. Akasaka, and T. Yamamoto  
Dev Growth Differ, 46: 61-67 (2004)

Sexually dimorphic expression of a teleost homologue of Mullerian inhibiting substance during gonadal sex differentiation in Japanese flounder, *Paralichthys olivaceus*.

N. Yoshinaga, E. Shiraishi, T. Yamamoto, T. Iguchi, S. Abe, and T. Kitano  
Biochem Biophys Res Commun., 322: 508-513 (2004)

Identification of two teleost homologs of the *Drosophila* sex determination factor, transformer-2 in medaka (*Oryzias latipes*).

E. Shiraishi, H. Imazato, T. Yamamoto, H. Yokoi, S. Abe, and T. Kitano  
Mech. Dev., 121: 991-996 (2004)

Identification and characterization of germin-like protein gene family of a moss, *Physcomitrella patens*.

M. Nakata, Y. Sakurai, Y. Watanabe, Y. Hashimoto, M. Matsuzaki, Y. Takahashi, and T. Satoh  
Plant Mol. Biol., 56: 381-395 (2004).

Involvement of 14-3-3 signaling protein binding in the functional regulation of the transcriptional activator RSG by gibberellins.

S. Ishida, J. Fukazawa, Y. Takashi, and Y. Takahashi  
Plant Cell, 16: 2641-2651 (2004).

Involvement of caspase-9 in execution of the maternal program of apoptosis in *Xenopus* late blastulae overexpressed with SAMDC (S-adenosylmethionine decarboxylase).

E. Takayama, T. Higo, M. Kai, M. Fukasawa, K. Nakajima, H. Hara, T. Tadakuma, K. Igarashi, Y. Yaoita, and K. Shiokawa  
Biochem. Biophys. Res. Commun., 325: 1367-1375 (2004).

The adaptor molecule FADD from *Xenopus laevis* demonstrates evolutionary conservation of its pro-apoptotic activity.

K. Sakamaki, C. Takagi, K. Kominami, S. Sakata, Y. Yaoita, H. Y. Kubota, M. Nozaki, S. Yonehara, and N. Ueno  
Genes to Cells, 9: 1249-1264 (2004).

Programmed cell death during amphibian metamorphosis.

K. Nakajima, K. Fujimoto, and Y. Yaoita  
Seminars in Cell and Developmental Biology, (2005) (in press).

「TGF- $\beta$  シグナルと p53 の協調作用による細胞分化と増殖制御」.

鈴木 厚, 竹林 鈴木 公子  
細胞工学, 24(1): 20-23 (2005).

Effects of gravity on the amphibian life cycle--morphological and molecular biological analyses of early development, morphogenesis and metamorphosis.

A. Kashiwagi, N. Furuno, K. Kashiwagi, H. Hanada, A. Kawakami, M. Watanabe, and M. Yamashita  
Space Utiliz. Res, 21, (2005) (in press)

Isolation and characterization of two serpentine membrane proteins containing glycerophosphodiester

phosphodiesterase, GDE2 and GDE6.

Y. Nogusa, Y. Fujioka, R. Komatsu, N. Kato, and N. Yanaka  
*Gene*, 337:173-179 (2004).

Immediate early genes expressed in chlorovirus infections.

T. Kawasaki, M. Tanaka, M. Fujie, S. Usami, and T. Yamada  
*Virology*, 318:214-223(2004)

Nuclear localization and interaction of RolB with plant 14-3-3 proteins correlates with induction of adventitious roots by the oncogene rolB.

H. Moriuchi, C. Okamoto, R. Nishihama, I. Yamashita, Y. Machida, and N. Tanaka  
*Plant J.*, 38: 260-275 (2004)

Hairy root-mediated transgenic-plant regeneration in Egyptian clover (*Trifolium alexandrinum* L.).

H. Moriuchi, Y. Fujikawa, M.A.M. Aly, H. Saneoka, K. Fujita, I. Yamashita, and N. Tanaka  
*Plant Biotech.*, 21: 165-168 (2004)

Evidence of horizontal gene transfer from *Agrobacterium rhizogenes* to tobacco plants during the evolutionary process.

N. Tanaka, K. Suzuki, and Y. Yamashita  
*Endocytobiosis Cell Res.*

植物腫瘍化因子がかかわる細胞増殖・器官分化のタンパク質ネットワーク.

田中伸和, 森内 寛

*生物物理*, 44: 286-289 (2004)

Involvement of S-adenosylmethionine in G1 cell-cycle regulation in *Saccharomyces cerevisiae*.

M. Mizunuma, K. Miyamura, D. Hirata, H. Yokoyama, and T. Miyakawa  
*Proc. Natl. Acad. Sci. USA*, 101: 6086-6091 (2004)

Effect of ethanol on cell growth of budding yeast: genes that are important for cell growth in the presence of ethanol.

S. Kubota, I. Takeo, K. Kume, M. Kanai, A. Shitamukai, M. Mizunuma, T. Miyakawa, H. Shimoi, H. Iefuji, and D. Hirata.

*Biosci. Biotechnol. Biochem.*, 68: 968-972 (2004)

Evidence for antagonistic regulation of cell growth by the calcineurin and HOG pathways in *Saccharomyces cerevisiae*.

A. Shitamukai, D. Hirata, S. Sonobe, and T. Miyakawa  
*J. Biol. Chem.*, 279: 3651-3661 (2004).

A. Cunita, M. Mikoshi, M. Mizunuma, D. Hirata, and T. Miyakawa

*Genes to Cells*, (2005) (in press).

A. Cunita, T. Onishi, M. Mizunuma, D. Hirata, and T. Miyakawa

*Biosci. Biotechnol. Biochem.*, (2005) (in press)

Effects of inorganic polyphosphate on the proteolytic and DNA-binding activities of Lon in *Escherichia coli*.

K. Nomura, J. Kato, N. Takiguchi, H. Ohtake, and A. Kuroda  
*J. Biol. Chem.*, 279, 34406-34410 (2004).

Structural and electronic interplay in the gap formation in  $\text{CeRhAs}_{1-x}\text{Sb}_x$  ( $0 < x < 1$ ).

T. Sasakawa, H. Miyaoka, K. Umeo, S. Aoyagi, K. Kato, F. Iga, and T. Takabatake  
*J. Phys. Soc. Jpn.*, 73(1): 262-268, (2004).

Heavy-fermion weak-ferromagnet  $\text{YbRhSb}$ .

Y. Muro, Y. Haizaki, M. S. Kim, K. Umeo, H. Tou, M. Sera, and T. Takabatake  
*Phys. Rev. B*, 69: 020401(R)(1-4) (2004).

Coupling of lattice and spin degrees of freedom in  $\text{GdB}_6$ .

D. F. McMorro, K. A. McEwen, J-G. Park, S. Lee, D. Mannix, F. Iga, and T. Takabatake

Physica B, 345: 66-69 (2004).

Successive magnetic transitions in a frustrated compound YbAgGe.

K. Umeo, K. Yamane, Y. Muro, K. Katoh, Y. Niide, A. Ochiai, T. Morie, T. Sakakibara, and T. Takabatake  
J. Phys. Soc. Jpn., 73(3): 537-540 (2004).

Transport properties of CeBiPt in magnetic fields up to 60 T.

J. Wosnitza, J. Hagel, N. Kozlova, D. Eckert, K. -H. Müller, C. H. Mielke, G. Goll, T. Yoshino, and T. Takabatake  
Physica B, 346-347: 127-131 (2004).

Anomalous temperature dependence of elastic moduli of CeRhSn.

T. Suzuki, H. Higaki, I. Ishii, M. S. Kim, and T. Takabatake  
J. Magn. Magn. Mat., 272-276: 35-36 (2004).

Optical study of c-f hybridization states in mixed-valent Yb compounds: metallic YbAl<sub>3</sub> vs semiconducting YbB<sub>12</sub>.

H. Okamura, T. Michizawa, M. Matsunami, S. Kimura, T. Nanba, T. Ebihara, F. Iga, and T. Takabatake  
J. Magn. Magn. Mat., 272-276: 51-52 (2004).

<sup>75</sup>As NQR/NMR study for successive transition below T<sub>K</sub> in CeRhAs.

M. Matsumura, T. Sasakawa, T. Takabatake, S. Tsuji, H. Tou, and M. Sera  
J. Magn. Magn. Mat., 272-276: 58-59 (2004).

Divalent state in YbGaGe: magnetic, thermal, transport and structural studies.

Y. Muro, T. Nakagawa, K. Umeo, M. Itoh, T. Suzuki, and T. Takabatake  
J. Phys. Soc. Jpn., 73(6): 1450-1452 (2004).

Effects of magnetic field on the pseudogap in the Kondo semiconductor CeRhAs.

S. Yoshii, K. Kindo, T. Sasakawa, T. Suemitsu, and T. Takabatake  
J. Magn. Magn. Mater., 278: 112-116 (2004).

Magnetic, electrical resistivity, heat-capacity, and thermopower anomalies in CeRhAs.

K. Sengupta, E. V. Sampathkumaran, T. Nakano, M. Hedo, M. Abliz, N. Fujiwara, Y. Uwatoko, S. Rayaprol, K. Shigetoh, T. Takabatake, Th. Doert, and J. P. F. Jemietio  
Phys. Rev. B, 70, 064406 (1-5) (2004).

Antiferromagnetic spin fluctuations in CeRhSn probed by <sup>119</sup>Sn NMR.

H. Tou, M. S. Kim, T. Takabatake, and M. Sera:  
Phys. Rev. B 70: 100407 R (1-4) (2004).

An antiferromagnetic Kondo lattice with strong exchange interaction.

M. A. Avila, M. Sera, and T. Takabatake: YnNiSi<sub>3</sub>  
Phys. Rev. B, 70: 100409 R (1-4) (2004).

Temperature dependence of high-energy photoemission of YbB<sub>12</sub>.

A. Shigemoto, S. Suga, A. Sekiyama, S. Imada, A. Yamasaki, A. Irizawa, T. Muro, Y. Saitoh, F. Iga, and T. Takabatake  
Physica B, 351: 289-291 (2004).

Phase separation in Y<sub>1-x</sub>Ca<sub>x</sub>TiO<sub>3</sub> associated with the insulator-to-metal transition: Observation by transmission electron microscopy

H. Matsuhata, F. Iga, M. Tsubota, T. Nakano, T. Takabatake, and K. Kato  
Phys. Rev. B, 70: 134109 (1-6) (2004).

Orbitally ordered state in Y<sub>1-x</sub>Ca<sub>x</sub>TiO<sub>3</sub> (0 < x < 0.5).

H. Nakao, M. Tsubota, F. Iga, K. Uchihira, T. Nakano, T. Takabatake, K. Kato, and Y. Murakami  
J. Phys. Soc. Jpn. 73: 2620-2623 (2004).

Study of electronic properties of CeRhSn by  $\square$ + Knight shift and relaxation measurements in single crystals.

A. Schenck, F.N. Gygax, M.S. Kim, and T. Takabatake  
J. Phys. Soc. Jpn., 73: 3099-3107 (2004).



Determination of the orbital polarization in YTiO<sub>3</sub> by using soft X-ray linear dichroism.  
F. Iga, M. Tsubota, M. Sawada, H.B. Huang, S. Kura, M. Takemura, K. Yaji, M. Nagira, A. Kimura, T. Jo, T. Takabatake, H. Namatame, and M. Taniguchi  
Phys. Rev. Lett., 93: 258207 (1-4) (2004).

希土類系強相関熱電変換材料の開発。  
高畠敏郎  
金属, 74: 789-792 (2004).

Complex permeability of permalloy – ferrite hybrid composite materials.  
T. Kasagi, T. Tsutaoka, and K. Hatakeyama  
J. Magn. Magn. Mat., 272-276: 2224-2226 (2004).

Magnetic and transport properties of R<sub>5</sub>Ge<sub>3</sub> (R=Gd, Tb) single crystal.  
T. Tsutaoka, Y. Nishiume, and T. Tokunaga  
J. Magn. Magn. Mat., 272-276: e421-e422 (2004).

Vibrational effect on fragmentation dynamics of the C K-shell excited CF<sub>2</sub>CH<sub>2</sub>.  
K. Okada, Y. Yamana, T. Ibuki, A. Fujii, S. Nagaoka, K. Tabayashi, Y. Shimada, Y. Morishita, Y. Tamenori, I. H. Suzuki, and K. Ohno  
J. Electron Spectrosc. Relat. Phenom. (in press).

Energy relaxation through the  $\pi^*$ -state in C, F and O K-shell excited CF<sub>3</sub>COCH<sub>3</sub>.  
T. Ibuki, K. Okada, M. Takahashi, S. Samori, T. Goya, Y. Senba, H. Yoshida, A. Hiraya, and K. Ohno, J. Electron Spectrosc. Relat. Phenom. (in press).

Experimental and theoretical study of resonant Auger decay of core-excited NO<sub>2</sub>.  
M. N. Piancastelli, V. Carravetta, I. Hjelte, A. De Fanis, K. Okada, N. Saito, M. Kitajima, H. Tanaka, and K. Ueda  
Chem. Phys. Lett., 399(4-6): 426–432 (2004).

Deformation, nuclear motion and fragmentation of core-excited CO<sub>2</sub> probed by multiple-ion coincidence momentum imaging.  
N. Saito, Y. Muramatsu, H. Chiba, K. Ueda, K. Kubozuka, I. Koyano, K. Okada, O. Jagutzki, A. Czasch, T. Weber, M. Hattaß, H. Schmidt-Böcking, R. Moshhammer, M. Lavollée, and U. Becker  
J. Electron Spectrosc. Relat. Phenom., 141(2-3): 183–193 (2004).

Angle-resolved, mass-selected ion spectroscopy of carbon K-shell excited CF<sub>3</sub>CCH.  
K. Okada, S. Tanimoto, T. Ibuki, Y. Haga, T. Gejo, K. Saito, and K. Ohno  
Chem. Phys., 304(3): 273–279 (2004).

Total photoabsorption cross-sections of CF<sub>3</sub>SF<sub>5</sub> in the C, F and S K-shell regions.  
T. Ibuki, Y. Shimada, S. Nagaoka, A. Fujii, M. Hino, T. Kakiuchi, K. Okada, K. Tabayashi, T. Matsudo, Y. Yamana, I. H. Suzuki, and Y. Tamenori  
Chem. Phys. Lett., 392(4-6), 303–308 (2004).

Satellite excitations due to internal inelastic scattering in the K-shell photoemission from CO<sub>2</sub>.  
A. De Fanis, N. Saito, K. Okada, M. Machida, I. Koyano, A. Cassimi, R. Dörner, A. A. Pavlychev, and K. Ueda  
J. Electron Spectrosc. Relat. Phenom., 137-140: 265–269 (2004).

Asymmetric peaks of photoelectrons and Auger electrons formed through post-collision interaction following Kr 2p<sub>3/2</sub> hole creation.  
I. H. Suzuki, A. Fujii, S. Nagaoka, M. Kosugi, K. Okada, T. Ibuki, S. Samori, Y. Tamenori, and H. Ohashi  
J. Phys. B: At. Mol. Opt. Phys., 37(7): 1433–1441 (2004).

Probe of bending motion following the 1s<sup>-1</sup> \* excitation of N<sub>2</sub>O.  
M. Machida, M. Lavollée, J. Randrianjafisoa, G. Laurent, M. Nagoshi, K. Okada, I. Koyano, and N. Saito  
J. Chem. Phys., 120(8): 3635–3641 (2004).

Asymmetric nuclear motion of the F 1s-ionized state in BF<sub>3</sub> probed by quadruple-ion-coincidence momentum

imaging.

A. De Fanis, N. Saito, M. Machida, K. Okada, H. Chiba, A. Cassimi, R. Dörner, I. Koyano, and K. Ueda  
Phys. Rev. A, 69(2): 022506 (4 pages) (2004).

Branching ratios of multiply charged ions formed through photoionization of Kr 3d, 3p and 3s sub-shells using a coincidence technique.

Y. Tamenori, K. Okada, S. Tanimoto, T. Ibuki, S. Nagaoka, A. Fujii, Y. Haga, and I. H. Suzuki  
J. Phys. B: At. Mol. Opt. Phys., 37(1): 117–129 (2004).

Mass-selected ion spectroscopy of K-shell excited polyatomic molecules: Fragmentation competing with intramolecular energy relaxation.

T. Ibuki and K. Okada

Recent Res. Devel. Chem. Phys., 5(Part I): 77–97 (2004).

国際会議特別講演・招待講演，新聞報道など

**Probing neurosteroids and novel neuropeptides in the avian brain: discovery, progress and perspective.**

**K. Tsutsui**

**8th International Symposium on Avian Endocrinology**

**Phoenix, Arizona, USA (2004).**

Synapse formation in response to neurosteroids in the Purkinje neuron.

**K. Tsutsui**

7th International Symposium on Molecular Medicine

Crete, Greece (2004).

GnIH and its related peptides in the quail brain: Identification, localization and function.

**K. Tsutsui**

8th International Symposium on Avian Endocrinology

Phoenix, Arizona, USA (2004).

Classical and novel neurosteroids in vertebrate brains.

**K. Tsutsui**

5th Congress of the Asia and Oceania Society for Comparative Endocrinology.

Nara, Japan, 2004

Neuropeptides and neurosteroids in the brain of non-mammalian vertebrates: Implication in photoperiodism.

**K. Tsutsui**

14th International Congress on Photobiology

Jeju, Korea (2004)

読売新聞 (2004.12.1)

筒井和義

【2003年】

New Spirocyclic Sesquiterpenes from the Marine Sponge *Geodia exigua*.

M. M. Uy, S. Ohta, M. Yanai, E. Ohta, T. Hirata, and S. Ikegami

Tetrahedron., 59 (6): 731-736 (2003).

Characterization of Recombinant p20 Trypsin Inhibitor, a New Protein from *Glycine max*.

A. Matsushima, Y. Ashida, J. Watanabe, and T. Hirata

Plant Biotech., 20 (1): 93-96 (2003).

Chemical Composition and Antifungal Properties of Essential Oils of Three *Pistacia* species.

M. E. Duru, A. Cakia, S. Kordali, H. Zengin, M. Harmandar, S. Izumi, and T. Hirata

Fitoterapia, 74: 170-176 (2003).

Asymmetric epoxidation of digeranyl by cultured cells of *Nicotiana tabacum*.

O. Nakagawa, K. Shimoda, S. Izumi, and T. Hirata

J. Labelled Compd. Radiopharm., 46: 401-409 (2003).

A new , , , -unsaturated carboxylic acid and three new cyclic peroxides from the marine sponge,

*Monotria japonica*, which selectively lyse starfish oocytes without affecting nuclear morphology.

M. Yanai, S. Ohta, E. Ohta, T. Hirata, and S. Ikegami  
Bioorg. Med. Chem., 11: 1715-1721 (2003).

Membrane topology of Guinea pig cytochrome P450 17 revealed by a combination of chemical modifications and mass spectrometry.

S. Izumi, H. Kaneko, T. Yamazaki, T. Hirata, and S. Kominami  
Biochemistry, 42: 14663-14669 (2003).

Screening chemical composition and in vitro antioxidant and antimicrobial activities of the essential oils from *Origanum syriacum* L. growing in Turkey.

M. H. Alma, A. Mavi, A. Yildirim, M. Digrak, and T. Hirata  
Biol. Pharm. Bull., 26 (12): 1725-1729 (2003).

Stereoselective biotransformation of limonene and limonene oxide by cyanobacterium, *Synechococcus* sp. PCC 7942.

H. Hamada, Y. Kondo, K. Ishihara, N. Nakajima, H. Hamada, R. Kurihara, and T. Hirata  
J. Biosci. Bioeng., 96 (6): 581-584 (2003).

Terpenoid coumarins of the Genus *Ferula*.

M. H. Abd El-Razek, S. Ohta, and T. Hirata  
Heterocycles, 60 (3): 689-716 (2003).

Biotransformation using plant cultured cells.

K. Ishihara, H. Hamada, T. Hirata, and N. Nakashima  
J. Mol. Cat. B: Enz., 23: 145-170 (2003).

Metal-metal Interaction in Binuclear Ferrocene-Arene Complexes.

S. Nakashima, H. Isobe, N. Akiyama, T. Okuda, and M. Katada  
J. Radioanal. Nucl. Chem., 255: 287-290 (2003).

Mixed-Valence State of Optically Active 1',1''-Bis(2-phenylbutyl)-1,1''-biferrocenium Penraiodide: Effects of Cation Symmetry and Intermolecular Interaction on Trapped-/ Detarpped-valence States.

T. Oda, S. Nakashima, and T. Okuda  
Inorg. Chem., 42: 5376-5383 (2003).

Mixed-Valence States of 1',1''-Bis(2-phenylbutyl)-1,1''-biferrocenium(1+) Triiodides: Effects of the Cation Symmetry and Counter Anion on the Electron-Transfer Rate.

T. Oda, S. Nakashima, and T. Okuda  
Bull. Chem. Soc. Jpn., 76: 2129-2134 (2003).

Anomalous U-236/U-238 Ratio and Metal Elements Detected in the Black Rain from the Hiroshima A-Bomb.

Y. Fujikawa, K. Shizuma, S. Endo, and M. Fukui  
Health Phys. 84: 155-162 (2003).

Uranium and Plutonium Isotope Ratio Measurement as a Tool for Environmental Monitoring - Experiments in Osaka, Gifu and Hiroshima, Japan.

Y. Fujikawa, K. Shizuma, E. Ikeda, T. Baba, T. Yoshimoto, M. Fukui, M. Saito, H. Yamanishi, and T. Ueda  
J. Nuclear Science and Technology, Supl.3: 564-567 (2003).

Measurement of Residual <sup>152</sup>Eu Activity Induced by Atomic Bomb Neutrons in Nagasaki and the Contribution of Environmental Neutrons to This Activity.

K. Shizuma, S. Endo, M. Hoshi, J. Takada, M. Ishikawa, K. Iwatani, H. Hasai, T. Oka, S. Fujita, T. Watanabe, T. Yamashita, and T. Imanaka  
J. Radiat. Res. 44: 133-139 (2003).

The jump transition of the GM mode in a gas counter.

X. Wen, K. Iwatani, S. Hamanaka, and K. Shizuma.  
Nucl. Instr. and Meth. in Phys. Res. A515(3): 614-617 (2003).

Observation of tetravalent cerium in zircon and its reduction by radiation effect.

Y. Takahashi, T. Sakashima, and H. Shimizu  
Geophys. Res. Lett., 30: Art. No. 1137 (2003).

Seasonal changes in neurosteroid concentrations in the amphibian brain and environmental factors regulating their changes.

Y. Inai, K. Nagai, K. Ukena, T. Oishi, and K. Tsutsui  
Brain Res., 959: 214-225 (2003).

Neonatal expression of progesterone receptor isoforms in the cerebellar Purkinje cell in rats.

H. Sakamoto, H. Shikimi, K. Ukena, and K. Tsutsui  
Neurosci. Lett., 343: 163-166 (2003).

Dendritic growth and spine formation in response to estrogen in the developing Purkinje cell.

H. Sakamoto, Y. Mezaki, H. Shikimi, K. Ukena, and K. Tsutsui  
Endocrinology, 144: 4466-4477 (2003).

Biosynthesis and biological actions of neurosteroids in the avian brain (review).

K. Tsutsui, M. Matsunaga, and K. Ukena  
Avian Poult. Biol. Rev., 14: 63-78 (2003).

Biosynthesis and action of neurosteroids in the cerebellar Purkinje neuron (review).

K. Tsutsui, H. Sakamoto, and K. Ukena  
J. Steroid Biochem. Mol. Biol., 85: 311-321 (2003).

Developmental changes in gonadotropin-inhibitory hormone in the Japanese quail (*Coturnix japonica*) hypothalamo-hypophysial system.

T. Ubuka, M. Ueno, K. Ukena, and K. Tsutsui  
J. Endocrinol., 178: 311-318 (2003).

A novel aspect of the cerebellum: biosynthesis of neurosteroids in the Purkinje cell (review).

K. Tsutsui, H. Sakamoto, and K. Ukena  
Cerebellum, 2: 215-222 (2003).

Gonadotropin-inhibitory peptide in song sparrows (*Melospiza melodia*) in different reproductive conditions, and in house sparrows (*Passer domesticus*) relative to chicken-gonadotropin-releasing hormone.

G.E. Bentley, N. Perfito, K. Ukena, K. Tsutsui, and J.C. Wingfield  
J. Neuroendocrinol., 15: 794-802 (2003).

Distribution of a novel avian gonadotropin-inhibitory hormone in the quail brain.

K. Ukena, T. Ubuka, and K. Tsutsui  
Cell Tissue Res., 312: 73-79 (2003).

Novel neuropeptides related to frog growth hormone-releasing peptide: Isolation, sequence, and functional analysis.

K. Ukena, A. Koda, K. Yamamoto, T. Kobayashi, E. Iwakoshi-Ukena, H. Minakata, S. Kikuyama, and K. Tsutsui  
Endocrinology, 144: 3879-3884 (2003).

Assimilation of nitrogen dioxide in selected plant taxa.

M. Takahashi, K. Kondo, and H. Morikawa  
Acta Biotechnol., 23: 241-247 (2003)

Conversion of the nitrogen of nitrate and nitrogen dioxide to nitrous oxide in plants.

M. Hakata, M. Takahashi, G. Zumft, A. Sakamoto, and H. Morikawa  
Acta Biotechnol., 23: 249-257 (2003)

Functional complementation in yeast reveals a protective role of chloroplast 2-Cys peroxiredoxin against reactive nitrogen species.

A. Sakamoto, S. Tsukamoto, H. Yamamoto, M. Hashimoto-Ueda, M. Takahashi, H. Suzuki, and H. Morikawa  
Plant Journal, 33: 841-851 (2003)

Screening and genetic manipulation of plants for decontamination of pollutants from the environments.

H. Morikawa, M. Takahashi, M. Hakata, and A. Sakamoto  
J. Biotechnol. Adv. 22 (1): 9-15 (2003)

Basic Processes in Phytoremediation and Some Applications to Air Pollution Control.

H. Morikawa, and O.C. Erkin  
Chemosphere 52(9): 1553-1558 (2003)

Development of regeneration and transformation systems for *Raphiolepis umbellata* L. plants using particle bombardment.

O.C. Erkin, M. Takahashi, A. Sakamoto, and H. Morikawa  
Plant Biotechnol., 20: 145-152 (2003)

Air Pollution Clean Up Using Pollutant-Philic Plants- Metabolism of nitrogen dioxide and genetic manipulation of related genes.

H. Morikawa, M. Takahashi, and Y. Kawamura

In "Phytoremediation: Transformation and Control of Contaminants", ed by S. C. McCutcheon and J.L. Schnoor, John Wiley and Sons, Inc. pp. 765-786 (2003)

植物細胞の膜輸送系とファイトレメディエーション.

坂本 敦, 高橋美佐, 森川弘道  
「植物細胞工学」, p146-150 (2003)

ファイトレメディエーションの新展開.

森川弘道  
「環境修復と有用物質生産」 シーエムシー出版 (2003)

窒素同化と NO<sub>x</sub> 代謝.

森川弘道, 坂本 敦, 高橋美佐  
「蛋白質核酸酵素」 共立出版 48(15): 2130-2137 (2003)

ファイトレメディエーション.

森川弘道  
「ファルマシア」 日本薬学会, 39(9): 876-880 (2003)

樹木によるファイトレメディエーション.

高橋美佐, 森川弘道  
「林木の育種」 林木育種協会, 207: 26-28 (2003)

Corticosterone enhances adrenocorticotropin-induced calcium signals in bovine adrenocortical cells.

T. Chiyo, T. Yamazaki, K. Aoshika, S. Kominami, and Y. Ohta  
Endocrinology 144(8):3376-81 (2003)

微小ビーム強度モニターの開発とマイクロビーム X 線分析への応用.

早川 慎二郎, 鈴木 基寛, 廣川 健  
X 線分析の進歩, 34: 133-141(2003)

Evolution of the Ka x-ray satellites for Fe, Ni and Zn: from threshold to saturation.

K. Kawatsura, T. Morikawa, T. Takahiro, M. Oura, H. Yamaoka, K. Maeda, S. Hayakawa, S. Ito, M. Terasawa, and T. Mukoyama  
J Phys B: At Mol Opt Phys, 36: 4065-4072 (2003)

Mammalian 5-formyluracil-DNA glycosylase. 1. Identification and characterization of a novel activity that releases 5-formyluracil from DNA.

M. Matsubara, A. Masaoka, T. Tanaka, T. Miyano, N. Kato, H. Terato, Y. Ohyama, S. Iwai, and H. Ide  
Biochemistry, 42: 4993-5002 (2003).

Mammalian 5-formyluracil-DNA glycosylase. 2. Role of SMUG1 uracil-DNA glycosylase in repair of 5-formyluracil and other oxidized and deaminated base lesions.

A. Masaoka, M. Matsubara, R. Hasegawa, T. Tanaka, S. Kurisu, H. Terato, Y. Ohyama, A. Matsuda, and H. Ide  
Biochemistry, 42: 5003-5012 (2003).

DNA-protein cross-link formation mediated by oxanine. A novel genotoxic mechanism of nitric oxide-induced DNA damage.

T. Nakano, H. Terato, K. Asagoshi, A. Masaoka, M. Mukuta, Y. Ohyama, T. Suzuki, K. Makino, and H. Ide  
J. Biol. Chem., 278: 25264-25272 (2003).

Identification and characterization of mammalian 5-formyluracil-DNA glycosylase.

M. Matsubara, A. Masaoka, T. Tanaka, H. Terato, Y. Ohyama, and H. Ide  
Nucleic Acids Res., Suppl. 3: 233-234 (2003).

Repair roles of hSMUG1 assessed by damage specificity and cellular activity.

A. Masaoka, M. Matsubara, T. Tanaka, H. Terato, Y. Ohyama, K. Kubo, and H. Ide  
Nucleic Acids Res., Suppl. 3: 263-264 (2003).

Repair of oxidative cytosine damage by DNA glycosylases.

A. Katafuchi, A. Matsuo, H. Terato, Y. Ohyama, and H. Ide  
Nucleic Acids Res., Suppl. 3: 269-270 (2003).

Physical and gene maps of *Agrobacterium* biovar 2 strains and their unique relationship to biovar 1 chromosomes.

H. Urbanczyk, K. Suzuki, K. Yoshida, and K. Kondo  
Microbiology, 149: 3035-3042 (2003).

Roles of sexual cell agglutination in yeast mass mating.

K. Suzuki  
Genes Genet. Syst., 78: 211-219 (2003).

Structural and functional analysis of a putative gene cluster for palatinose transport on the linear chromosome of *Agrobacterium tumefaciens* MAFF301001.

D.M. De Costa, K. Suzuki, and K. Yoshida  
J Bacteriol., 185: 2369-73 (2003).

Utilization of a particle gun DNA introduction system for the analysis of cis-regulatory elements controlling the spatial expression pattern of the arylsulfatase gene (HpArs) in sea urchin embryos.

M. Kurita, H. Kondoh, K. Mitsunaga-Nakatsubo, T. Shimotori, N. Sakamoto, T. Yamamoto, H. Shimada, K. Takata, and K. Akasaka  
Dev Genes Evol, 213: 44-49 (2003)

Low temperature promotes annexin V expression in newt testis.

T. Yamamoto, T. Yazawa, K. Fujimoto, T. Kitano, and S-I. Abe  
Zoolog Sci, 20: 733-735 (2003)

Abnormal spermatogenesis at low temperatures in the Japanese red-bellied newt, *Cynops pyrrhogaster*: possible biological significance of the cessation of spermatocytogenesis.

T. Yazawa, Y. Nakayama, K. Fujimoto, Y. Matsuda, K. Abe, T. Kitano, S-I. Abe, and T. Yamamoto  
Mol Reprod Dev, 66: 60-66 (2003)

An abundant periplasmic protein of the denitrifying phototroph *Rhodobacter sphaeroides* f. sp. *denitrificans* is PstS, a component of an ABC phosphate transport system.

M. Matsuzaki, M. Abe, S. Hara, I. Yamamoto, and T. Satoh  
Plant Cell Physiol. 44: 212-216 (2003).

Involvement of RSG and 14-3-3 proteins in the transcriptional regulation of a GA biosynthetic gene.

Y. Takahashi, J. Fukazawa, A. Matushita, and S. Ishida  
J. Plant Growth Regul., 22: 195-204 (2003).

Repression by Cu of the expression of Fe-superoxide dismutase of chloroplasts in the moss *Barbura unguiculata* but not in the liverwort *Marchantia paleacea* var. *diptera*.

T. Shiono, M. Nakata, T. Yamahara, M. Matsuzaki, H. Deguchi, and T. Satoh  
J. Hattori Bot. Lab., 93: 141-153 (2003).

Dual mechanisms governing muscle cell death in tadpole tail during amphibian metamorphosis.

K. Nakajima, and Y. Yaoita  
*Developmental Dynamics*, 227: 246-255 (2003)

Interplay between the tumor suppressor p53 and TGF- $\beta$  signaling shapes embryonic body axes in *Xenopus*.  
K. Takebayashi-Suzuki, J. Funami, D. Tokumori, A. Saito, T. Watabe, K. Miyazono, A. Kanda, and A. Suzuki  
*Development*, 130 (17): 3929-3939 (2003).

Expression of cell-cycle regulators during *Xenopus* oogenesis.  
N. Furuno, A. Kawasaki, and N. Sagata  
*Gene Expression Patterns*, 3: 165-168 (2003)

The C-terminal seven amino acids in the CRS region of cyclin B2 are required for normal bipolar spindle formation in *Xenopus* oocytes and embryos.  
S. Yoshitome, N. Furuno, and N. Sagata  
*Molecular Cancer Research*, 1: 589-597 (2003)

Change of the heterogametic sex from male to female in the frog.  
M. Ogata, H. Ohtani, T. Igarashi, Y. Hasegawa, Y. Ichikawa, and I. Miura  
*Genetics*, 164(2): 613-20, (2003).

Role of aromatase and androgen receptor expression in gonadal sex differentiation of ZW/ZZ-type frogs, *Rana rugosa*.  
H. Ohtani, I. Miura, and Y. Ichikawa  
*Comp Biochem Physiol C Toxicol Pharmacol.*, 134(2): 215-25 (2003).

The prototype of sex chromosomes found in Korean populations of *Rana rugosa*.  
M. Ogata, JY Lee, S. Kim, H. Ohtani, K. Sekiya, T. Igarashi, Y. Hasegawa, Y. Ichikawa, and I. Miura  
*Cytogenet Genome Res.*, 99(1-4):185-93 (2002).

両生類の色素細胞.  
市川洋子, 大谷浩己, 三浦郁夫  
*電子顕微鏡*, 38(3): 207-212 (2003).

Silk protein, sericin, suppresses DMBA-TPA-induced mouse skin tumorigenesis by reducing oxidative stress, inflammatory responses and endogenous tumor promoter TNF- $\alpha$ .  
S. Zhaorigetu, N. Yanaka, M. Sasaki, H. Watanabe, and N. Kato  
*Oncol. Rep.*, 10: 537-543 (2003).

Antitumor effect of vitamin B6 and its mechanisms.  
S. Komatsu, N. Yanaka, K. Matsubara, and N. Kato  
*Biochim. Biophys. Acta.*, 1647: 127-130 (2003).

cGMP-phosphodiesterase activity is up-regulated in response to pressure overload of rat ventricles.  
N. Yanaka, Y. Kurosawa, K. Minami, E. Kawai, and K. Omori  
*Biosci. Biotechnol. Biochem.*, 67: 973-979 (2003).

Novel membrane protein containing glycerophosphodiester phosphodiesterase motif is transiently expressed during osteoblast differentiation.  
N. Yanaka, Y. Imai, E. Kawai, H. Akatsuka, K. Wakimoto, Y. Nogusa, N. Kato, H. Chiba, E. Kotani, K. Omori, and N. Sakurai  
*J. Biol. Chem.*, 278: 43595-43602 (2003).

Inhibitory effects of silk protein, sericin on UVB-induced acute damage and tumor promotion by reducing oxidative stress in the skin of hairless mouse.  
S. Zhaorigetu, N. Yanaka, M. Sasaki, H. Watanabe, and N. Kato  
*J. Photochem. Photobiol. B.*, 71:11-17 (2003).

Strictly polyphosphate-dependent glucokinase in a polyphosphate-accumulating bacterium *Microlunatus phosphovorus*.  
S. Tanaka, S.-O. Lee, K. Hamaoka, J. Kato, N. Takiguchi, K. Nakamura, H. Ohtake, and A. Kuroda  
*J. Bacteriol.*, 185, 5654-5656 (2003).

Orbital-ordering-induced phase transition in  $\text{LaVO}_3$  and  $\text{CeVO}_3$ .

Y. Ren, A.A. Nugroho, A.A. Menovsky, J. Strempler, U. Rütt, F. Iga, T. Takabatake, and C.W. Kimball  
*Phys. Rev. B*, 67: 014107 (1-6) (2003).

On the magnetic phase diagram of  $\text{Ce}_7\text{Ni}_3$  in the H-T plane.

A. Schenck, F. N. Gygax, D. Andreica, K. Umeo, and T. Takabatake  
*Physica B*, 326: 394-397 (2003).

Dynamics of the internal field in  $\text{RB}_{12}$  (R=Er, Yb, Lu).

G.M. Kalvius, D.R. Noakes, M. Marcano, R. Wäppling, F. Iga, and T. Takabatake  
*Physica B* 326: 398-402 (2003).

Thermoelectric properties of Ce-based Kondo semimetals and semiconductors.

T. Takabatake, T. Sasakawa, J. Kitagawa, T. Suemitsu, Y. Echizen, K. Umeo, M. Sera, and Y. Bando  
*Physica B*, 328: 53-57 (2003).

Field-induced magnetic transition in the heavy-fermion antiferromagnet  $\text{Ce}_7\text{Ni}_3$ .

K. Umeo, Y. Echizen, M. H. Jung, T. Takabatake, T. Sakakibara, T. Terashima, C. Terakura, C. Pfleiderer, M. Uhlarz, and H. v. Löhneysen  
*Phys. Rev. B*, 67: 144408(1-6) (2003).

Thermoelectric and magnetic properties of  $\text{CeRh}_{1-x}\text{M}_x\text{Sn}$  (M=Co,Ni,Ru).

Y. Echizen, K. Yamane, and T. Takabatake  
*Physica B*, 329-333: 522-523 (2003).

Anisotropic transport and magnetic properties of frustrated  $\text{CeRhSn}$ .

M.S. Kim, Y. Echizen, K. Umeo, T. Tayama, T. Sakakibara, T. Takabatake  
*Physica B*, 329-333: 524-525 (2003).

The Fermi surface in the “Kondo semiconductor”  $\text{CeNiSn}$ .

T. Terashima, C. Terakura, S. Uji, H. Aoki, Y. Echizen, and T. Takabatake  
*Physica B*, 329-333: 535-536 (2003).

Magnetic-field effects on the pseudogap in  $\text{CeRhAs}$ .

S. Yoshii, K. Kindo, T. Sasakawa, T. Suemitsu, and T. Takabatake,  
*Physica B* 329-333: 568-569 (2003).

High-resolution, low-temperature photoemission spectroscopy of Kondo semiconductor  $\text{CeRhAs}$  and related compounds.

K. Shimada, K. Kobayashi, T. Narimura, P. Baltzer, H. Namatame, M. Taniguchi, T. Suemitsu, T. Sasakawa, and T. Takabatake  
*Physica B*, 329-333: 576-577 (2003).

Successive structural phase transitions of the semiconductive  $\text{CeRhAs}$ .

M. Nakajima, K. Iwasa, M. Kohgi, T. Sasakawa, and T. Takabatake  
*Acta Physica Polonica B*, 34: 1109-1112 (2003).

Anisotropic thermoelectric properties of  $\text{CeRhAs}$  with superstructures.

T. Takabatake, T. Suemitsu, T. Sasakawa, J. Kitagawa, and K. Umeo.  
*Acta Physica Polonica B*, 34: 1303-1308 (2003).

Electronic states of the Kondo semiconductor  $\text{CeRhAs}$  and related compounds: a high-resolution resonant photoemission study.

K. Shimada, P. Baltzer, H. Namatame, M. Taniguchi, K. Kobayashi, T. Narimura, T. Suemitsu, T. Sasakawa, and T. Takabatake  
*Acta Physica Polonica B*, 34: 1359-1362 (2003).

Magnetic form factor of  $\text{URhGe}$ .

K. Prokes, A. Gukasov, T. Takabatake, T. Fujita, and V. Sechovsk  
*Acta Physica Polonica B*, 34: 1473-1476 (2003).



Thermoelectric properties of a clathrate compound  $\text{Ba}_8\text{Cu}_{16}\text{P}_{30}$ .

D. Huo, T. Sasakawa, Y. Muro, and T. Takabatake  
Appl. Phys. Lett., 82: 2640-2642 (2003).

Superconductivity in magnetically ordered  $\text{CeTe}_{1.82}$ .

M. H. Jung, A. Alsmadi, H. C. Kim, Yunkyu Bang, K. H. Ahn, K. Umeo, A. H. Laserda, H. Nakotte, H. C. Ri, and T. Takabatake  
Phys. Rev. B 67: 212504 (1-4) (2003).

The field-induced magnetic phase in a heavy-fermion antiferromagnet,  $\text{Ce}_7\text{Ni}_3$ .

K. Umeo, Y. Echizen, T. Takabatake, T. Sakakibara, T. Terashima, and C. Terakura  
J. Phys.: Cond. Matter, 15: S2159-2162 (2003).

Magnetic and thermoelectric properties of a heterogeneous mixed-valence system,  $\text{Yb}_2\text{Pt}_3\text{Sn}_5$ .

Y. Muro, K. Yamane, M.S. Kim, T. Takabatake, C. Godart, and P. Rogl  
J. Phys. Soc. Japan, 72: 1745-1750 (2003).

Ion pairs and spontaneous break of symmetry in the valence-fluctuating compound  $\text{YbB}_{12}$ .

T. S. Altshuler, Yu. V. Goryunov, M. S. Bresler, F. Iga, and T. Takabatake.  
Phys. Rev. B, 68: 014425 (1-7) (2003).

Low-temperature anomalies in the magnetic, transport, and thermal properties of single-crystal  $\text{CeRhSn}$  with valence fluctuations.

M.S. Kim, Y. Echizen, K. Umeo, S. Kobayashi, M. Sera, P.S. Salamakha, O.L. Sologub, T. Takabatake, X. Chen, T. Tayama, T. Sakakibara, M.H. Jung, and M.B. Maple  
Phys. Rev. B, 68: 054416 (1-7) (2003).

Magnetic and thermoelectric properties of  $\text{Ce}_2\text{NiB}_{10-\square}$  ( $\square=0.3$ ), a Ni-incorporated variant of  $\text{CeB}_6$ .

E. Matsuoka, K. Umeo, S. Tsuji, M. Sera, F. Iga, and T. Takabatake  
J. Phys. Soc. Japan, 72: 2344-2349 (2003).

Thermoelectric Properties of Single-Crystal  $\text{CeRhSn}$  with Valence Fluctuations.

M. S. Kim, T. Sasakawa, Y. Echizen, and T. Takabatake  
Jpn. J. Appl. Phys., 42: 6512-6515 (2003).

Hole-doping and Pressure Effects on the Metal-Insulator Transition in Single Crystals of  $\text{Y}_{1-x}\text{Ca}_x\text{TiO}_3$  ( $0.37 \leq x \leq 0.41$ ).

M. Tsubota, F. Iga, T. Nakano, K. Uchida, S. Kura, M. Takemura, Y. Bando, K. Umeo, T. Takabatake, E. Nishibori, M. Takata, K. Kato, and Y. Ohishi  
J. Phys. Soc. Japan, 72: 3182-3188 (2003).

Magnetic and transport properties of  $\text{Ho}_7\text{Rh}_3$ .

T. Tsutaoka, Y. Nishiume, T. Tokunaga, Y. Nakamori, Y. Andoh, S. Kawano, G. Nakamoto, and M. Kurisu  
Physica B, 327: 352-3560 (2003).

Magnetic structure of  $\text{HoPdSn}$ .

Y. Andoh, M. Kurisu, G. Nakamoto, T. Tsutaoka, Y. Makihara, T. Kosugi, and S. Kawano  
Physica B, 327:389-392 (2003).

Frequency dispersion of complex permeability in Mn-Zn and Ni-Zn spinel ferrites and their composite materials.

T. Tsutaoka  
J. Appl. Phys., 93:2789-2796 (2003).

Difference in the transport properties between  $\text{Y}_7\text{Rh}_3$  and  $\text{La}_7\text{Rh}_3$ .

Y. Nakamori, H. Fujii, T. Tsutaoka, T. Tokunaga, M. Ito, T. Suzuki, and T. Fujita  
Physica B, 329-333: 1087-1089 (2003).

Doppler effect in resonant photoemission from  $\text{SF}_6$ : Correlation between Doppler profile and Auger emission anisotropy.

M. Kitajima, K. Ueda, A. De Fanis, T. Furuta, H. Shindo, H. Tanaka, K. Okada, R. Feifel, S. L. Sorensen, F.

Gel'mukhanov, A. Baev, and H. Ågren  
Phys. Rev. Lett., 91(21): 213003 (4 pages) (2003).

Molecular size effect on the site dependent photofragmentation of N and O K-shell excited  $\text{CH}_3\text{CO}(\text{CH}_2)_n\text{CN}$  ( $n = 0-3$ ).

K. Okada, S. Tanimoto, T. Morita, K. Saito, T. Ibuki, and T. Gejo  
J. Phys. Chem., A 107(41): 8444-8448 (2003).

Anisotropic ultrafast dissociation probed by the Doppler effect in resonant photoemission from  $\text{CF}_4$ .

K. Ueda, M. Kitajima, A. De Fanis, T. Furuta, H. Shindo, H. Tanaka, K. Okada, R. Feifel, S. L. Sorensen, H. Yoshida, and Y. Senba  
Phys. Rev. Lett., 90(23): 233006 (4 pages) (2003).

Nuclear motion and symmetry breaking of the B 1s-excited  $\text{BF}_3$  molecule.

K. Ueda, A. De Fanis, N. Saito, M. Machida, K. Kubozuka, H. Chiba, Y. Muramatsu, Y. Sato, A. Czasch, O. Jagutzki, R. Dörner, A. Cassimi, M. Kitajima, T. Furuta, H. Tanaka, S. L. Sorensen, K. Okada, S. Tanimoto, K. Ikejiri, Y. Tamenori, H. Ohashi, and I. Koyano  
Chem. Phys., 289(1): 135-147 (2003).

Probing doubly excited ionic states of  $\text{N}_2^+$  via a triple excitation above the N 1s threshold in the  $\text{N}_2$  molecule.

R. Feifel, K. Ueda, A. De Fanis, K. Okada, S. Tanimoto, T. Furuta, H. Shindo, M. Kitajima, H. Tanaka, O. Björneholm, L. Karlsson, S. Svensson, and S. L. Sorensen  
Phys. Rev. A, 67(3): 032504 (4 pages) (2003).